



MEMORANDUM

Date: January 7, 2011
To: File
From: Kristine Meyer, P.E., CFM
Subject: DuPage County Stormwater Ordinance Update
Municipal Engineers Meeting – January 6, 2011
(WBK Project No. 09-0039)

At the January 6, 2011 Municipal Engineers Meeting, Articles 1 through 4 of the Public Comment Draft Ordinance were discussed. Below are brief bullets points of the items that were discussed.

Article I

- No Comments/Changes

Article II

- Section 15-16.B: Much discussion was had regarding the MTAP and how representatives would be chosen. It was decided that the representatives will be chosen based on County Board District as proposed, but that there would be two alternates. One alternate would be an environmental scientist and the other would be an alternate for the representative.
- Section 15-18: It was noted that the cross-references are not correct.
- Section 15-19: This section was not alternated much and the consulting team is going to defer to the attorneys to review this section.

Article III

- Section 15-27.A.5: There was discussion about removing the word “groundwater”, it was decided not remove the word, but possibly add “reasonably” to Section 15-4.A.4.

Article IV

- Section 15-31.A.1: The 12,000 sf requirement will be removed.
- Section 15-31.A.2: Add *or structures* to end of sentence.

- Section 15-36: Modify language to state:and approval authorities *until such permits and approval have been obtained*. In addition, at the end of paragraph it will be noted that a submittal to IDNR-OWR will not be required for those activities that meet the IDNR-OWR General Permit.
- Table 1: Correct cross-references.